

# IN134UST

InFocus

Ultra short throw with big performance and value

Part #: IN134UST

The InFocus IN134UST ultra short throw projector is a great fit for the classroom, including with interactive whiteboards, because it minimizes shadows and other distractions as well as provide HDMI connectivity and powerful built-in audio.

## Key Features

- ◆ XGA (1024 x 768) resolution
- ◆ Ultra short throw lens (0.437 throw ratio)
- ◆ 2800 lumens of brightness
- ◆ Long life lamp of up to 8,000 hours
- ◆ HDMI connectivity
- ◆ Contrast ratio: 10,000:1
- ◆ 20-watt speakers
- ◆ Microphone input



## Why choose the IN134UST Series?

- ◆ Ultra short throw minimizes shadows
- ◆ Low price and long-lasting lamp keeps expenses low
- ◆ High brightness of up to 2800 lumens
- ◆ 10,000:1 contrast ratio produces dark blacks and bright whites
- ◆ Microphone input and powerful 20W speakers
- ◆ HDMI connectivity
- ◆ Manage over your network
- ◆ Supports every current 3D standard for DLP projectors, plus a 3D Sync port for a 3D IR emitter

## Convenient Connectivity

The InFocus IN134UST projector has many inputs to handle digital and analog sources, network management, and room control systems.

- ◆ HDMI, VGA x 2, Composite video, S-video and 3.5mm stereo audio inputs
- ◆ 3.5mm microphone input

- ◆ LAN (RJ45) input for easy management over your network
- ◆ 3.5mm stereo audio output
- ◆ RS232 input for room control systems
- ◆ VESA 3D Sync port for a 3D IR emitter
- ◆ VGA monitor out

## Low Cost of Ownership

The low purchase price of the IN134UST projector is just the beginning.

- ◆ Efficient lamp lasts up to 8,000 hours
- ◆ Eco Mode extends lamp life and still provides up to 2400 lumens
- ◆ No filters to buy, clean or replace
- ◆ Rated for 24/7, non-stop operation
- ◆ Microphone input and two 10-watt stereo speakers act as a room PA system

## Ultra Versatile

The IN134UST projector is compact enough to be mounted or portable.

- ◆ Get a 85-inch image from only 16.4 inches away
- ◆ Mount it on the wall to shine on your whiteboard, interactive whiteboard, wall or screen
- ◆ Carry or roll it on a media cart from room-to-room
- ◆ Ultra short throw makes it easy to get a big, sharp image anywhere, even in tight spaces

## Specifications\*

Projector	IN134UST
Resolution – Native	XGA (1024 x 768)
Resolution – Maximum	WUXGA (1920 x 1200)
Display Technology	DLP
Speakers	Stereo 10W x 2
Lamp Brightness	2,800 lumens
Lamp Brightness – Low Power	2,400 lumens
Lamp Life – Low Power	8,000 hours
Lamp Life – Bright Mode	5,000 hours
Contrast Ratio	10,000:1
Aspect Ratio	4:3
Projection Offset	20
Keystone Correction	± 30°V
Audible Noise	< 33 dBA at 0°F / -17.8°C
Audible Noise – Eco Mode	< 29 dBA at 0°F / -17.8°C
Product Warranty	1 year
Lamp Warranty	6 months
Accessories Warranty	90 days
Approvals	UL and c-UL, FCC, CE
Throw and Zoom	
Throw Ratio – Minimum	0.44:1
Throw Ratio – Maximum	0.44:1
Shipping	
Product Dimensions	14.8 x 11.3 x 4.8 in / 375.9 x 287 x 121.9 mm
Product Weight	11 lbs / 5 kg
Shipping Dimensions	20.4 x 17.3 x 11.5 in / 518.2 x 439.4 x 292.1 mm
Shipping Weight	18.7 lbs / 8.5 kg

\* Product specifications, terms, and offerings are subject to change at any time without notice.

## Accessories

- Motorized Electric Projector Screen: 84 in., 4:3 (SC-MOT-84)
- Motorized Electric Projector Screen: 100 in., 4:3 (SC-MOT-100)
- Motorized Electric Projector Screen: 120 in., 4:3 (SC-MOT-120)
- Fixed Frame Projector Screen: 100 in., 4:3 (SC-FF-100)
- Fixed Frame Projector Screen: 120 in., 4:3 (SC-FF-120)
- VGA Cable (36 ft / 11 m) (SP-VGA-11M)
- VGA Cable (6.6 ft / 2 m) (SP-VGA-2M)
- Manual Pull Down Projector Screen: 100 in., 4:3 (SC-MAN-100)
- Manual Pull Down Projector Screen: 120 in., 4:3 (SC-MAN-120)
- Fixed Frame Projector Screen: 84 in., 4:3 (SC-FF-84)
- Projector Lamp for IN134UST and IN136UST (SP-LAMP-084)
- Manual Pull Up Projector Screen: 80 in., 4:3 (SC-PU-80)

Manual Pull Up Projector Screen: 100 in., 4:3 (SC-PU-100 )  
Presenter 4 RF Remote with Laser Pointer (HW-PRESENTER-4)  
Projector Lock by PC Guardian (SEC-LOCK-01)  
Manual Pull Down Projector Screen: 84 in., 4:3 (SC-MAN-84)